# ANNEXURE-V

## Maharashtra University of Health Sciences, Nashik Inspection Committee Report for Academic Year 2024-2025

## **Clinical Material in Hospital**

Name of College/Institute -MGM Mother Teresa College of Nursing Chh.sambhajinagarFaculty- Nursing

### HOSPITAL DETAILS

Sr. No.	Particulars to be verified	Particular	Adequate/ Inadequate
1	The Institute / College shall execute a MoU with any institute for affiliation of hospital in addition to minimum100 bedded own/parent Hospital (Affiliatedhospitalmustbe50beddedor more.)  To be made available on web site	Yes	Adequate
a.	Whether Hospital is registered under any act under Local Authority such as Corporation, Municipality, Gram Panchayat etc.:  Copy to be made available on web site	Yes	Adequate
b.	Student Bed Ratio for UG & PG to be verified:(As per MSR) Calculate at Actual	Yes	Adequate
c.	Average Bed Occupancy in %: (Minimum 75%)	Yes	Adequate
d.	Clinical facilities for PG to be verified:-(As per MSR)	Yes	Adequate
	<ul> <li>(i) Whether OPD is functioning to be verified</li> <li>(ii) Total No of OPD (on the day of inspection)</li> <li>(iii) Average Number of patients attending OPD (current year)</li> <li>(iv) Average Number of Delivery (Current year)</li> <li>(v) Average Number of abnormal Delivery (Current year)</li> </ul>	Yes	Adequate

 As per Central Council Norms/ University Norms, above Infrastructure must be available at College.

• If Infrastructure is available, then mark "Adequate" & do not attach any Documents it should be available on college website

• In case of "Inadequate", it must be marked as "Inadequate" with evidence. To be submit to university with report

Date: - 28 01 2025

Dean/Principal Stamp & Signature

PRINCIPAL
MGM'S MOTHER TERESA COLLEGE OF NURSING
N-6,CIDCO,Chhatrapati Sambhajinagar



# **Municipal Corporation Aurangabad** (Health Dept.)





# Certificate of Registration

Under Section 5 of the

Section 5 of the

Bombay Nursing Homes Registration Act. 1949

C' (Under Rule 5)

FORM (Under Rule 5)	4	176
This is to certify that Shri / Shrimati DX. RAJEN	DRA	* 5
BRIJMOHAN BOHRA	***************************************	<del> </del>
has been registered under the Bombay Nursing Homes	Registration	Act, 1949
in respect of Name of Nursing Home MAHATMA	GANDH	1
MISSION'S MEDICAL COLLEGE &		
situated at N=6, CIDCO, AURAN	GABAD	
and has been authorised to carry on the said Nursing H	łome.	Ð
Registration No. : 339 Maternity	150	Cots
Date of Registration: 01 07 2005		
Date of Issue: 17/06/22 Other Nursing Patients	1030	Cots
This Certificate shall be valid upto 31st March. 202	5	

MGM'S MOTHER TERESA COLLEGE OF NURSING N-6, CIDCO, Chhatrapati Sambhajinagar

Municipal Corporation, Aurangabad.



## महाराष्ट्र युकाने व आरथापना तोकरीचे व सेवाशतीने विनियमना अधिनियम, २०१७

नमुना क (नियम ५ पहा) नोंदणी प्रमाणपत्र



व निदर्शी क्रमांट \$089400398350333 ऊ.स्वापनं वे नाव महात्मा गांधी मिशन हॉस्पिटल 3 सहरचे अहमी क्या (45.4, रागे जॉनलाईनव्यारे अलीसोवत सादर केलेल्या अपलोड़) स्वयं-प्रमाणित वस्त्रऐवजाच्या प्रती व स्वयं-घोषणावनाच्या आयात्र रहीर लंकाराचे सहित्तर बहुद केल्ल्या महितीची आणि आस्थापनेच्या व्यवसायाची व आस्थापनेच्या जागंची प्रत्यक्ष महताळणी न करता देण्यात आस्त्रे आहे सदरहे प्रणापक है जेकर केली प्रमाणपत्र आहे व सदर नोदणी प्रमाणपत्र कोणत्याही प्रकार मानगत्ता हकक किया मालमतीमा मालकी एकक धारण करण्याना अधिकार वेह गाहर, सबर वीवणी प्रमाणपत्र नोदणीचा कात्मावधी समाप्तीच्या तीस दिवस क्षमोदर नूतनीकरण करणे आवश्यक राहील. व्यवसाय सर् करण्यात आह्याता विनाक 39-06-9999 নাব্দী সমাদ্দেশ্বালা জালাহঘী शिलकाच तह डॉक्टर राजेंद्र बुजमोहन बोहरा व्यवसायाचे स्टक्र हॉस्पिटल / HOSPITAL आरथापनेचा यस एन-६ सिड्को,, एन-६ सिड्को,, सिडको, सिडको, औरंगावाद,म.न पार, औरंगावाद, औरंगावाद, ४३१००१

मनुष्यक्क / व्यासमाराचा तपशील

	पु रुष	स्रो	इतर	एकुण
ामगारांची संख्या	397	493	0	<b>८२</b> ५
शिकाऊ उनेदवार अधिनियम, १९६१ (१९६१ चा ५२) अन्वये शिकाऊ उनेदवाराची संख्या	0	O	Ö	c
कंत्राटी कामनारांची संरक्षा	0	D	9	0
अशकालिक कामगारांची संख्या	0	0	o	0
្ <sub>រ</sub> ត្តប	397	493	0	474

ातुरं प्रतिमित कराबार देश की, ात अल्यापना महाराष्ट्र दुकाने व आस्थापना (नोकरीचे व सेवाशर्तीचे विनिधमन) आधेनिवम, २०५७ (महाराष्ट्र २०५७ चा ६०) अन्वयं आज दिसंक २८/०८/२०२० र्शकी आस्थापना म्हणून नोंदविण्यात आलेली आहे.

दिनांक १२८/६८ १७२७

Collection Automorphism

Signature valid Digitally Signed by Vitinal Narryanrao Valdya Date 28-06-2020 1शुरिकालकरा वे साव व स्वाक्षरी

कार्योत्रधाचा वर्षः Office or the Deputy Commissioner of Labour, Aurangabad, Address-Malajipura, Station Road, Aurangabad.

दे	घत। सपण्याचा दिनाक	अर्जाचा आय.डी. क्रमां क	प्रदा	न के ले ले सेवा	भूल्य (रुपर्ये)
31/01/2:30		५०६५६७१२२००३	73.tc		
अनुक्रमांव	ह विश्वरताची नावे	विश्वस्तांचा पत्ता	आधार क्रमांक	. भ्रमणद्दानी कथां क	ई-में छ
14	ड बंदर शकेत हु हमात्त्व बोहरा	ऑप यरद गर्नेश, प्लाट ने २४१-२४२, समर्थ नागर, ऑरंगवाट	प्रप्रवर्गकात्रः गार्	८०८,११४५०२८५	ra pohara@msh.com

For verification or to check the authenticity of the Certificate/Recept visit to https://aaplesarkar.mahaonline.gov.in प्रमायक्षत्र किंद्र, प्रावानिभी सत्यतची/ पडताळणी करण्यासाठी https://aaplesarkar.mahaonline.gov.in वैधे पेट दस्

"बालकामगार कामावर ठेवणे गुन्हा आहे"

PRINCIPAL MGM'S MOTHER TERESA COLLEGE OF NURSING N-6,CIDCO,Chhatrapati Sambhajinagar

# MAHARASHTRA POLLUTION CONTROL BOARD

Tel: 24010706/24010437

Fax: 24023516

Website: http://mpcb.gov.in Email: cac-cell@mpcb.gov.in



Kalpataru Point, 2nd, 3rd and 4th floor, Opp. Cine Planet Cinema, Near Sion Circle, Sion (E), Mumbai-400022

RED/L.S.I

No:- Format1.0/CAC/UAN No.0000188429/CO/2403002487

Date: 23/03/2024

To,
MGM S MEDICAL COLLEGE & HOSPITAL,
N-6, CIDCO, Chatrapati Sambhaji Nagar - 431003.
Email:mgmmca@themgmgroup.com
Contact No.:9823547202





Your Service is Our Duty

Grant of Renewal of Combined Consent to Operate and BMW Authorization (CCA) with increase in number of beds & CI under the provisions of Water (P & CP) Act, 1974, Air (P & CP) Act, 1981 and Bio-Medical Waste Management Rules, 2016 as amended and Hazardous Waste (M & TM) Rules, 2016.

- **Ref:** 1. Previous Combine Consent and Bio-Medical Waste Authorization granted by the Board vide dated 25.06.2019, valid up to 31.12.2023.
  - 2. Your application for Combine Consent and Bio-Medical Waste Authorization vide UAN No. 188429, dated 11.12.2023.
  - 3. Minutes of 22nd Consent Appraisal Committee meeting held on 16.02.2024.

After examining the proposal, The Maharashtra Pollution Control Board hereby grant 1st operate Combined Consent and BMW Authorization to HCE under Section 25/26 of the Water (P&CP) Act, 1974, Section 21 of the Air (P&CP) Act, 1981 and Bio-Medical Waste Management Rules, 2016, and Hazardous Wastes (Management & Transboundary Movement) Rules, 2016 respectively, under Environment (Protection) Act, 1986, subject to terms and conditions as specified below and in the **Schedule(I-IV) and Annexure (I-II)** enclosed in this order.

- This CCA shall be in force for a period From 31-12-2023 To 31-12-2028
- 2. The capital investment of the HCF is ₹24575.89 Lakhs (As per C.A Certificate Submitted by HCF)
- 3. HCF Area: Plot Area 20000.00 M² with Built-up area 16787.00 M².
- 4. Activities Included
  - a. Total Number of Beds : **1180 Nos.** (As per BNH certificate no. 476 valid upto 31-03-2025)

I. General Beds: 500 Nos

III. Operation Theatre: 6 Nos

V. Oncology Beds : 5 Nos

VI. Other Beds: 544 Nos

II. ICCU/ICU Beds : 100 Nos

IV. Maternity Beds: 25 Nos

PRINCIPAL MGM'S MOTHER TERESA COLLEGE OF MURSING N-6,CIDCO,Chhatrapati Sambhajinagar

# 5. Conditions under the Water (P&CP) Act, 1974:-

- 1. Quantity of total water consumption shall not exceed 558 M³/day. You shall not use the ground water without obtaining prior permission of Central Ground Water Authority.
- 2. You shall provide adequate treatment & disposal facility for Sewage & Effluent generated as specified in Annexure-I
- 3. You shall provide water meter at water intake point & at sewage/Effluent disposal point and shall maintain monthly records thereof.

## Conditions under the Air (P&CP) Act,1981:-

- You shall use the fuel for DG set as specified in the Annexure-II.
- 2. You shall provide adequate emission control system to DG set as specified in Annexure-II.
- 3. You shall strictly observe noise standards applicable for DG set stack emission and ambient noise level as per Annexure-II.

### Conditions under Hazardous and Other Wastes(Management, Handling & Transboundry Movement) Rules, 2016 for treatment and disposal of 7. hazardous waste:-

You shall have valid membership of CHWTSDF and shall dispose the Hazardous waste generated in strict compliance with said rules and maintain record thereof.

Sr No	Type of Waste	HW Category no.	Quantity	иом	Disposal
	5.1 Used or spent oil	5.1	100	Ltr/A	Sale to authorized party for recycle

## Conditions under Solid Waste Management rules 2016

- You Shall Handover Solid waste (Other Than BMW) to Local bodies as per provisions of SWM Rules, 2016.
- You shall Not mix general solid waste with Bio Medical Waste.

## Conditions under BMW Management rules, 2016 (As Amended):-

- You shall adhere to the BMW Generation quantity and storage conditions as specified in Schedule-I of BMW Management Rules, 2016, as amended.
- 2. You shall segregate and handover BMW to BMW T&D CTF Water Grace Products, Aurangabad Strictly complying with the Provisions of Schedule-I and Maintain record of the same.
- 3. Cytotoxic Drugs/ Waste: You shall have separate storage, marked with the symbol of Bio Hazard & Cytotoxic Hazard for outdated, discarded, unused cytotoxic drugs/waste and submit details of Management and Handling of outdated, discarded, unused Cytotoxic drugs in the format prescribed by CPCB which is available on www.cpcb.nic.in along with Annual Report to MPCB with a copy to CPCB before 30th June of every year.
- 4. Mercury Waste: You shall manage the Mercury Waste in HCE in environmentally sound manner (including storage, spilled collection, transportation and disposal) as per guidelines published by CPCB as detailed in document entitled "Environmentally Sound Management of Mercury Waste in Health Care Facilities" (www.cpcb.nic.in).

MGM'S MOTHER TERESA COLLEGE OF NURSING



- 10. You shall not undertake Modifications/ Upgrdation in existing facility without obtaining prior Environment Clearance under the Provision of EIA notification, 2006 Or Consent to Establish from the MPC Board as applicable.
- 11. Any unauthorized change in Location, Name, personnel, equipment or working conditions as mentioned in the application by you shall constitute a breach of this CCA. In case of any change you shall apply fresh for CCA or amendment as applicable.
- 12. You shall not Rent, Lend, Sell, Transfer or Close Down the facility or otherwise transport / Handover the Bio-Medical waste generated for any other purpose without obtaining prior written permission of the MPC Board.
- 13. This Board reserves the right to review, amend, suspend, revoke, or change any of the conditions applicable under this CCA and the same shall be binding on the HCE.
- 14. You shall maintain records of MPC board Officers visit and shall obey all the lawful instructions issued by the Board Officers from time to time.
- 15. Any violation of provisions of BMW Management Rules, 2016 as amended shall attract the penal provisions of Environment (Protection) Act, 1986 and Violations under the provisions of Water (P&CP) Act 1974, Air (P&CP) act 1981 shall attract provisions of respective act including closure of the facility and prosecution.
- 16. This CCA shall not be construed as exemption from obtaining necessary NOC/permission from any other Government agencies as applicable.
- 17. HCE authority shall properly operate STP & ETP to achieve consented norms.
- 18. The treated effluent/sewage shall recycle to maximum extent for secondary purposes such as HVAC cooling tower make up, toilet flushing & remaining on land for gardening.
- 19. HCE shall submit BGs as per HCE BG regime.
- 20. You shall submit the bank guarantee of INR 3.25 lakhs towards compliance of conditions as specified in Schedule III to The Regional Officer, MPCB, Aurangabad within 30 days. Non submission of B.G. in specified time shall attract revocation of this CCA without further notice



Disnazy

98e6dba8 b08b1eae bde1213a cf2b425b 0f6711c3 6ab666a3 ca698e38 0febb19a

Signed by: Dr.Avinash Dhakne
Member Secretary
For and on behalf of,
Maharashtra Pollution Control Board
ms@mpchgov.in
2024-03-23 11:49:51 IST

## Received Consent/Authorization fee of -

Sr.No	Amount(Rs.)	Transaction/DR.No	. Date	Transaction Type
1	2457589.00	TXN2312000949	11/12/2023	Online Payment
2	1704683.00	TXN2403003362	18/03/2024	Online Payment

## Copy to:

- 1. Regional Officer, MPCB, Aurangabad and Sub-Regional Officer, MPCB, Aurangabad I
- They are directed to ensure the compliance of consent conditions.
- 2. Cheif Accounts Officer, MPCB, Sion, Mumbai
- 3. I/C EIC- for record & website updating purpose.
- CAC Desk for record & updation purposes.

PRINCIPAL
MGM'S MOTHER TERESA COLLEGE OF NURSING
N-6,CIDCO,Chhatrapati Sambhajinagar



# Conditions under Water (P & CP), 1974 Act: (Refer Condition No. 5)

A. Water Consumption Details:-

Sr. No.	Purpose for water consumed	Water consumption quantity (CMD)
1.	Industrial Cooling, spraying in mine pits or boiler feed	27.00
2.	Domestic purpose	531.00
3.	Processing whereby water gets polluted & pollutants are easily biodegradable	0.00
4,	Processing whereby water gets polluted & pollutants are not easily biodegradable and are toxic	0.00
5.	Other such as agriculture, gardening, etc.	0.00

B. Conditions for Sewage & Effluent Generation, Treatment and Disposal:-

Sr. No.	Description	Permitted quantity of discharge (CMD)	Standards to be achieved	Disposal
1	Domestic Sewage	540	As per clause 'C'	Recycle to maximum extent & remaining on land for gardening
2	Trade effluent	22	As per clause 'C'	As above

C. You shall operate the combined waste water treatment plant of adequate design and capacity to treat the domestic sewage and trade effluent so as to achieve the following standards as prescribed below under E (P) Act, 1986 and Rules made there under and recycle treated effluent after achieving standard prescribed below.

100		Discharge Standards applicable
Sr. No.	Parameters	Limiting Concentration in mg/except for pH
1	На	6.5-9.0
2	Oil & Grease	10
3	BOD (3 days 27°C)	30
4	COD	250
5	Total Suspended Solids	100
6	Bio-Assay Test	90 % survival of fish after 96 hours in 100 % effluent

- D. You shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.
- E. You shall provide Primary/ Secondary/ tertiary treatment system and disinfection facility.
- F. The Applicant shall obtain prior consent of the Board to take steps for Expansion/Modification of any treatment and disposal system or an extension or addition thereto.
- G. You shall provide Specific Water Pollution control system as per above conditions and conditions of Environmental Clearance, if applicable.

PRINCIPAL
MGM'S MOTHER TERESA COLLEGE OF NURSING
N-6,CIDCO,Chhatrapati Sambhajinagar

# Terms & conditions for Incinerator(s) and D.G. Set(s) under Air (P & CP) Act, 1981 and Bio Medical waste management Rule, 2016: (Refer Condition No.6)

You shall observe following fuel pattern and erect following stack (s):

Sr. No.	Stack Attached	Fuel Type	Quantity	Stack Height (Mtr)
1	DG Set (2 x 600 KVA)	HSD	126.00 Kg/Hr	4.50
2	DG Set (750 KVA)	HSD	157.50 Kg/Hr	6.50

- The Applicant shall obtain prior permission of MPC board for providing additional control equipment with necessary specifications and operation thereof or replacement/alteration well before its life come to an end or erection of new pollution control equipment.
- The Board reserves its rights to vary all or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of any control equipment, either in whole or in part as necessary).
- Conditions for D.G. Set:
  - a. Noise from the D.G. Set should be controlled by providing an acoustic enclosure or by treating the room acoustically for control of noise.
  - Acoustic enclosure/acoustic treatment of the room should be designed for minimum 25 dB (A) insertion loss or for meeting the ambient noise standards, whichever is on higher side. A suitable exhaust muffler with insertion loss of 25 dB(A) shall also be provided. The measurement of insertion loss will be done at different points at 0.5 meters from acoustic enclosure/room and then average.
  - You shall make efforts to bring down noise level due to DG set, outside industrial premises, within ambient noise requirements by proper sitting and control measures.
  - d. Installation of DG Set must be strictly in compliance with recommendations of DG Set manufacturer.
  - e. A proper routine and preventive maintenance procedure for DG set should be set and followed in consultation with the DG manufacturer which would help to prevent noise levels of DG set from deteriorating with use.
  - D.G. Set shall be operated only in case of power failure.
  - g. The applicant should not cause any nuisance in the surrounding area due to operation of D.G. Set.
  - The applicant shall comply with the notification of MoEFCC dated 17.05.2002 regarding noise limit for generator sets run with diesel.
- You shall take adequate measures for control of noise levels from its own sources within the premises so as to maintain ambient air quality standard in respect of noise to less than 75 dB (A) during day time and 70 dB (A) during night time. Day time is reckoned in between 6 a.m. and 10 p.m. and night time is reckoned between 10 p.m. and 6 a.m.

MGM'S MOTHER TERESA COLLEGE OF NURSING N-6,CIDCO,Chhatrapati Sambhajinagar

## SCHEDULE-I

# Authorization for Management of Bio-Medical Waste (Category and Quantity)

The authorization is granted for Generation and Segregation of BioMedical Waste (BMW) in waste categories and quantities listed bear in the segregation of BioMedical Waste (BMW) in

Sr		s and quantities listed	Quantity not	10.34 11	
No		Type of Waste	to exceed (Kg/Month)	Segregation Colour coding	Treatment & Disposal
1	Yellow	a) Human Anatomical waste	100.00	non- chlorinated	Bio medical Waste shall be sent to MPCB authorized BMW-CTF
		b) Animal Anatomical Waste	0.00	piedale dege	Water Grace Products, Aurangabad Aurangabad
		c) Soiled Waste	100.00		
		d) Expired or Discarded Medicines	150.00		
		e) Chemical Waste	0.00		
		f) Chemical Liquid Waste	0.00	Separate collection system leading to effluent treatment system.	
		g) Discarded linen, mattresses, beddings contaminated with blood or body fluid.	200.00	Yellow coloured non - chlorinated plastic bags or suitable packing material.	
		h) Microbiology Biotechnology and other clinical laboratory waste	50.00	Autoclave safe plastic bags or containers.	Pre-treat to sterilize with nonchlorinated chemicals on-site as per National AIDS Control Organisation or World Health Organisation guidelines thereafter sent to BMW-CTF for Incineration.
2	Red	Contaminated waste (Recyclable)	500.00	Red coloured non chlorinated plastic bags or containers.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF Water Grace Products, Aurangabad Aurangaba
	White (Translucent)	Waste sharps including Metals	350.00	Puncture proof, Leak proof, tampe proof container.	Bio medical Waste shal r be sent to MPCB authorized BMW-CTF Water Grace Products, Aurangabad Aurangab
	Blue	a) Glassware		Puncture proof, Leak proof with	Bio medical Waste sha be sent to MPCB
		b) Metallic body implants	150.00	Blue coloured marking.	authorized BMW-CTF Water Grace Products Aurangabad Aurangab

MGM'S NOTHER TERESA COLLEGE OF NURSING N-6,CIDCO,Chhatrapati Sambhajinagar

## Responsibilities of CBWTF

- You shall handover Bio Medical waste only to MPCB Authorized Common Bio medical waste treatment and Disposal facility Water Grace Products, Aurangabad and maintain records thereof for 5 years.
- You shall establish bar code for handling of bio-medical waste.
- You shall ensure segregation of Bio-Medical Waste in colour coded bags as per BMW Management Rules, 2016
- 4. You shall not store Bio Medical waste beyond 48 hours from the generation.
- 5. You shall use only non-chlorinated plastic coloured bags.
- You shall ensure use of colour coded bins and bags for segregation of BMW as required under BMW Management Rules 2016.
- 7. You shall not mix General/other Solid waste with Bio Medical Waste.
- You shall ensure segregation, treatment and disposal of General / Other Municipal solid waste as per Solid Waste Management rules, 2016.
- You shall pay the charges to authorized Common Bio Medical waste Treatment and Disposal facility for its services as agreed upon during the membership registration or as amended.
- 10. You shall comply and strictly abide with the conditions stipulated in BMW Management Rules, 2016 as amended time to time.
- 11. You shall handover Plastic / Metal waste (BMW) to Common Bio medical waste treatment and Disposal facility allocated to you for treatment & disposal or plastic/ metal recycler authorized by MPCB for BMW Handling and maintain records thereof & submit to MPCB in Annual report.
- 12. You shall provide training to all workers involved in handling of bio-medical waste at the time of induction and at least once a year thereafter and maintain record thereof.
- 13. You shall undertake appropriate medical examination of all BMW Waste handlers & staff at the time of induction and at least once in a year and immunize all involved in management of Bio Medical Waste for protection against diseases, including Hepatitis B and Tetanus, that are likely to be transmitted while handling bio medical waste and maintain the records for the same.
- 14. You shall ensure use of personal protective Equipment such as Heavy Duty Gloves (Workman's Gloves), Gum Boots or safety shoes for waste collectors, Face mask, Head Cap, Splash Proof Gowns or aprons etc., Disposal gloves by waste handlers.
- 15. You shall develop and operate own website. The website should be uploaded on monthly basis with all the information relating to Bio-Medical waste management including this CCA and other permission and report.
- 16. You shall maintain all record for Generation, for a period of five years and produce whenever asked by MPCB authorities.
- 17. The occupier and operator of a Health Care Establishment shall be liable for all the damages caused to the environment or the public due to improper handling of biomedical wastes.
- 18. You shall ensure submission of Annual Report of BMW for the period Jan to Dec, including category and quantity of BMW Generated and Disposed in Form IV for preceding year before 30th June of every year to the Regional Office, MPCB, Aurangabad and uploading the same to MPCB Portal (https://www.ecmpqb.in/).

MGM'S MOTHER TERESA COLLEGE OF NURSING N-6,CIDCO,Chhatrapati Sambhajinagar

Scanned with OKEN Scanner

## SCHEDULE-III

## **Bank Guarantees**

Bank Guarantee imposed to ensure timely compliance, to be observed by operator.

Sr.No	Activity / Condition to be Complied	Compliance Timeline (Months)	Bank Guarantee Amount
1A	Operation and Maintenance		·
1	To Segregate and Handle BMW as per Schedule I	Continuous	100,000.00
2	Towards Operation and Maintenance of STP/ETP to achieve prescribed discharge standards	Continuous	100,000.00
1B	Records		
1	To Maintain records of BMW and submission of Annual Report for preceding calendar year in Form -IV before 30th June every year	Continuous	50,000.00
2	To maintain records of BMW handed over to CBMWTDF	Continuous	50,000.00
2	Performance		
1	To provide BMW separate storage facility as per guidelines of CPCB	Continuous	25,000.00
	Total	# 	3,25,000.00

Note: You shall extend the existing submitted Bank Guarantee for the Activity / Condition to be Complied mentioned in the above table valid upto the validity of this CCA + 4 months additional. Submit a fresh Bank Guarantee for the newly added Activity / Condition to be Complied mentioned in the above table valid upto the validity of this CCA + 4 months additional.

> MGM'S MOTHER TERESA COLLEGE OF NURSING N-6,CIDCO,Chhatrapati Sambhajinagar



## **General Conditions**

# The following general conditions shall apply:-

- You shall provide facility for collection of environmental samples and samples of trade and sewage effluents, air emissions and hazardous waste to the Board staff at the terminal or designated points and shall pay to the Board for the services rendered in
- Whenever due to any accident or other unforeseen act or event, such emissions occur or is apprehended to occur in excess of standards laid down, such information shall be forthwith reported to Board, concerned Police Station, Executive Engineer MIDC and Local Body. In case of failure of pollution control equipment's, the process connected to it shall be stopped.
- You shall provide an alternate electric power source sufficient to operate all pollution control facilities installed to maintain compliance with the terms and conditions of the consent. In the absence, the applicant shall stop, reduce or otherwise, control operation to abide by terms and conditions of this consent.
- You shall submit to this office, the 30th day of September every year, the Environmental Statement Report for the financial year ending 31st March in the prescribed Form-V as per the provisions of rule 15 of the Environment (Protection) (Second Amendment) Rules, 1992.
- You shall comply with the Hazardous Waste (M, H & TM) Rules, 2016 and submit the Annual Returns as per Rule 20(2) of Hazardous Waste (M, H & TM) Rules, 2016 for the preceding year April to March in Form-IV by 30th June of every year to Regional Office, Aurangabad.
- 6. You shall engage qualified staff/personnel/agency to see the day to day compliance of consent & authorization condition towards Environment Protection.
- Separate drainage system shall be provided for collection of trade and sewage effluents. Terminal manholes shall be provided at the end of the collection system with arrangement for measuring the flow. No effluent shall be admitted in the pipes/sewers downstream of the Terminal manholes. No effluent shall find its way other than in designed and provided collection system.
- 8. Neither storm water nor discharge from other premises shall be allowed to mix with the effluents from the HCE.
- 9. You shall install a separate meter showing the consumption of energy for operation of domestic and industrial effluent treatment plants and air pollution control system. A register showing consumption of chemicals used for treatment shall be maintained.
- 10. You should not cause any nuisance in surrounding area. You shall maintain good housekeeping.
- 11. You shall bring minimum 33% of the available open land under green coverage/ plantation. The applicant shall submit a yearly statement by 30th September every year on available open plot area, number of trees surviving as on 31st March of the year and number of trees planted.
- 12. The non-hazardous solid waste arising in the HCE premises, sweepings, etc. be disposed of scientifically so as not to cause any nuisance / pollution. The applicant shall take necessary permissions from civic authorities for disposal of solid waste.
- 13. You shall achieve the National Ambient Air Quality standards prescribed vide Government of India, Notification Dated. 16/11/2009 as amended.

MGM'S MOTHER TFRESA COLLEGE OF NURSING

MGM 5 MEDICAL COLLEGE & HOSPITAL/CO/UAN No.MPCB-CONSENT-0000188429/Indus-Id/32243 pati Sambhajinagarpage 9 of 10 (23-03-2024 11:49:29 am) /QMS.PO6\_F02/00



- 14. You shall submit an official e-mail address and any change will be duly informed to the MPCB.
- You shall observe provisions of E-waste (Management) Rules 2016 & as amended time to time and Batteries (Management and Handling) Amendment Rules, 2010.
- 16. An inspection book shall be opened and made available to the Board's officers during their visit to the HCE.
- 17. In case you use/ handle/ generate the cytotoxic waste you shall strictly adhave to the standards/ SOPs applicable and waste shall be labelled specifically as "Cytotoxic Waste" with symbol on waste containers/ bags and shall handover to BMW CTFs.
- You shall obtain required permissions from competent authority for radio active material user/ handling/ disposal of waste before commencement of such activity.
- 19. The Energy source for lighting purpose shall preferably be LED based.
- 20. You shall harvest rainwater from roof tops of the buildings and storm water drains to recharge the ground water and utilize the same for different industrial applications within the plant
- 21. You shall provide personal protection equipment as per norms of Factory Act 1948
- 22. You are responsible to submit application for renewal of Combined Consent & Biomedical Waste authorization before 60 days of expiry.

This certificate is digitally & electronically signed.



PRINCIPAL
MGM'S MOTHER TERESA COLLEGE OF NURSING
N-6,CIDCO,Chhatrapati Sambhajinagar



## MOTHER TERESA COLLEGE OF NURSING

MGM Campus, N-6 CIDCO, Chh. Sambhaji Nagar - 431003

Ph. No.: 0240-6482000 (Ext No. 2900, 3050) | Fax No.: 0240-2484445, 2487727

Email: principalconabad@gmail.com Website: www.mgmcon.org

MGM/MTCN/23/614

Date:-09/06/2023

To,
The Dean
MGM Medical College & Hospital
MGM Campus,
Chh. Sambiaji Nagar

Sub:- Regarding permission to utilization of clinical facilities for the UG & PG Nursing students.

Respected Sir,

We round fine to request you that, kindly give the permission to utilize me MGM MAM Hospital clinical facilities for the UG and PG bursing under the Kindly give the permission and oblige as for the same.

Yours faithfully

Admir Officer
Admn. Officer
ATMA GANDHI MISSIONS
CLEGE OF NURSING
4-6 CIDCO AURAGABAD

DEAN
MGM'S MEDICAL COLLEGE
AURANGABAD

Properties!

PRINCIPAL
MGM'S MOTHER TERESA COLLEGE OF NURSING
N-6, CIDCO, Auranoabad.

PRINCIPAL
MGM'S MOTHER TERESA COLLEGE OF NURSING
N-6,CIDCO,Aurangabad.

'' भागवटा प्रमाण प 🏁 OCCUPANCY CERTIFICATE



HEST ON

जा.क./मनप्र/नर्वि मो.प्र/५। /१७/२०१७-१८ कार्यालय महानगरपालिका, औरगादाय दिनांक : 17 / 04

भौगवदा प्रमाणियत्र धारणकरणाऱ्यांचे नांव शीमती/ श्री :- सचिय, महात्मा गांधी मिशन, मूखंब क्रमांक :- हॉस्पीटल भूखंब मोहक्ला :- टाज्न सेंटर, सिंडको, औरंगाबाद

प्रमाणित करण्यात येते की. मू.कं, :- हॉस्पीयल भूखंड न.शृ.क. / सर्वे क्र. / गृट क्र. :- ---, मोहल्ला :-934 टाऊन रोटर, सिडको, औरंगायाद मिळकतीवर भागराः / संपूर्ण Lower Basalent + Upper Basment + 6 Floor Only & Lower Basment + Upper Basment + 7 Floor Only हो बांचकामासाठी दिलेल्या बांघकाम परपानगी संचिका क्रमांक १४६/१४/२०१५-१६ बांधकाम परवानगी क्रभांत ४९४/२०१५-९६ दिनांक :- १९/१०/२०१५ नुरार भीगवटा प्रमाणवत्रासाठी प्रस्ताव क्रमांक ३७४/२०१३-१४ दिनांक १५/०३/२०१४ दाखल प्रस्तावास परवाना घारक बास्युविशास्य दिजिनियर / सुपरवायझर श्रीमती / श्री. शेखर जिवराम यांना परवाना क्रमांक CA-83/1566 यांच्या देखरेखीत सदर इमारतीचे बोपकाम झालेले असून त्यांनी सावर केलेल्या पूर्णत्व प्रमाणपत्राच्या आधारे सदर बांधकाम डालिल्या इसारवीस भोगवटा एभाणपत्र खालील प्रमाणे/ अटीवर देण्यात येते.

सदरील पूर्वंडाचे हदी व चतुःसिमेदावत काही वाद उत्पन्न झाल्यास त्याची सर्वस्वी जवाबदारी मिळकत्वारक / विकासक आणि अर्जदार तथा वास्तुविशास्त / इंपिनियर / सुपरवाषक्तर यांची राहील.

चदर भीगवटा प्रमाणपत्र इनारतीचे मर्यादेपर्यंतचे आहे. इमारतीचे स्थानांकन, भृखंडाचे क्षेत्र, हरी, चतुःसिगा इत्यादी बायत वाद निर्माण झाल्या तक्षेत्र विकास योजनेनुसार मूखाँ अधे स्थानाबाबत भविष्यात वाद निर्माण 07. आत्याक त्याची सबेस्वी जवावदारी अर्जदारावर राहील. त्याकर्गता महानगरपालिका त्यास जवावदार

सदरच्या भोगवटा प्रमाणपत्रा व्यतिरीक्त भविष्यात प्रत्यक्ष जागेवर अतिरीक्त बांघकान आढळल्यास ते अनाविकृत विनापरवानगी समजून त्यावर नियगानुसार क्रारपाई करण्यात येईल. 03.

बांचकाम परवानगीमध्ये नमूद केलेल्या अटी अर्जवारास वंघरकारक राहतील. od.

विकासकाहर विकसीत इमारतीये बाबत इतर कायदयानुसार अस्रोलेल्या तरतुदीप्रमाणे सर्व वार्वीची पूर्वता Q4. ्करण्याची जवाबदारी सहीलः 🔩 🚓 🧀

छत्ताकर पडणा-या पावरताचे पाणी संकलीत करून विधन विहीर /श्रोषकूप मध्ये पुर्नमरण करावे. त्याची कायम oĘ. स्वरूपी देखमाल य पुरन्सीची जवाबदारी अर्जदारावर राहील.

मोगवटा प्रमाणपत्रासाठी प्यादा वांधकाम दंउ रक्तम सः ७,०२,४५०/- च.क ६२४५ दि. २५/०२/२०९८ oij. रोजी जमा केली आहे.

सीवतच्या नंकारं॥ प्रमाणे Lower Basment + Upper Basment न 6 Floor Only & Lower Basment + Upper Basment + 7 Floor Only ऱ्या बांधकामालाठी एक्षण सूर्यंडाचे क्षेत्र २०,००० ची.भी. च बांधकाम धेत्र १७२९६.७१ + ८५३४.२० — २५८३०.९० चौ.मी. करीता भोगवटा प्रमाणपत्र देणमात आले असून देय चटर्ड क्षेत्र निर्देशाकाचे (F.S.I.) १.२९ एवडा चटई क्षेत्र निर्देशांक वाप्रत्ला आहे

सहर प्रकरणी अभिश्रमन अधिकारी यांचे अंतिन अभिश्रमन ना हरकत प्रमाणपत्र Out Word No. W. AMC/FIRE/1184/2017 Date 21/03/2017 रूपये प्राप्त आहे.

(प्रशासकीय तजविज दि::- १७/०२/२०१८)

अम्बद्धारियालिका, अस्माबाद करीता.

पत > , गाँठ कार्याराय दोंसे ---- महानपस्पातिका, औरंगावाद यांना पूर्णात के विदेशिकाय

O. C. Signed by A. B. T. COLLEGE OF NURSING N-6,CIDCO,Aurangabad.



## MGM MEDICAL COLLEGE AND HOSPITAL

## MGM CAMPUS, N-6 CIDCO, CHH. SAMBHAJI NAGAR

## **DISTRIBUTION OF BEDS**

Sr. No.	INTENSIVE CARE UNIT	No. of Available Beds
1	MICU	13
2	SICU	13
3	CCU	06
4	CVTS	07
5	NICU	20
6	PICU	15
7	RJY	05
8	KT ICU	05
9	EICU	10
10	MCRI ICU	11
11	OBGY ICU	05

DEAN
MGM'S MEDICAL COLLEGE
CHH.SAMBHAJI NAGAR
DEAN

MGMTS MEDICAL COLLEGE AURANGABAD

PRINCIPAL MGM'S MOTHER TFRESA COLLEGE OF NURSING N-6,CIDCO,Chhatrapati Sambhajinagar



## MGM MEDICAL COLLEGE AND HOSPITAL

MGM CAMPUS, N-6 CIDCO, CHH.SAMBHAJI NAGAR

## **DISTRIBUTION OF BEDS**

Sr. No.	Departments	No. of Available Beds
1	Medicine	195
2	Respiratory Medicine	30
3	Cardiology	30
4	Nephrology	40
5	Paediatrics	120
6	Dermatology	30
7	Psychiatry	30
8	General Surgery	195
9	Orthopaedist	100
10	OBGY	150
11	Ophthalmology	40
12	ENT	40
13	Plastic Surgery	20
14	Urology	20
15	Emergency ward	30
	Total	1070

**DEAN** 

MGM'S MEDICAL COLLEGE

CHH.SAMBHAJI NAGAR

DEAN

MGM'S MEDICAL COLLEGE AURANGABAD

MGM'S MOTHER TFRESA COLLEGE OF NURSING N-6,CIDCO,Chhatrapati Sambhajinagar

# MAHATMA GANDHI MISSION HOSPITAL AURANGABAD

MONTH	Med	Pul. Med	Skin & VD	Psy	Neurology	Surg	Neuro Surg	Ortho	OBGY	Paed	ENT	Opht	Dental	Total
JAN	5471	1504	2978	1468	332	4702	309	4205	4693	-4072	2707	5073	1982	39496
FEB	5132	1262	2748	1368	270	4496	241	4072	4313	3310	2673	5245	1798	36928
MARCH	4536	1361	2624	1353	214	4077	324	3860	4263	2655	2582	4007	1882	33738
APRIL	5070	1632	2600	1444	218	5348	440	4273	4369	2937	2518	2949	1557	35355
MAY	5617	1205	2563	1281	178	5842	473	4710	4558	2872	2552	3206	1634	36691
JUNE	2776	1434	2709	1540	202	5914	193	4722	4724	3142	2520	2828	1718	37422
JULY	5915	1688	2843	1683	315	6034	381	4782	4749	3619	2796	3023	1878	39706
AUGUST	2987	1908	2824	1567	216	5921	406	4617	4839	3937	2670	3160	1821	39873
SEPT	8009	1856	2538	1518	197	5497	394	3609	4394	3133	2491	3087	1675	36397
OCT	5918	1840	2994	1744	198	5538	388	3840	4243	3520	2360	2885	1382	36850
NOV	5979	2108	2498	2010	171	5897	216	3820	4016	3548	2164	2868	1507	36802
DEC	7091	2656	3227	3279	191	6815	365	4887	5138	5106	3414	3552	1664	47355
Total	68500	20454	33146	20255	2672	66081	4130	51397	54299	41851	31447	41883	20498	456613
Monthly	5708	1705	2762	1688	223	5507	344	4283	4525	3488	2621	3490	1708	38051
AVG	238	71	115	70	56	229	43	178	189	145	109	145	71	1585

MGRIS MOTHER TERESA COLLEGE OF NURSING N-6, CIDCO, Chiatrapati Sambhajinagar MAHATMA GANDHI MISSION HOSPITAL AURANGABAD TOTAL PATIENT OF S.S OPD FROM JAN 2024 TO DEC .2024

Total	2381	2243	2450	2208	2554	2502	2668	2308	2025	2674	2116	2879	29008	2417	345
Hepatobilary Surg	527	611	590	497	519	565	551	412	304	352	340	461	5729	477	119
Plastic Surgery	358	331	393	333	419	465	475	367	343	414	368	583	4849	404	29
Urology	989	889	756	693	098	710	845	765	625	692	865	781	8776	731	122
C.V.T.S	134	88	152	64	801	126	151	143	100	861	126	155	1545	129	21
Cardiology	343	272	211	279	285	311	350	296	312	548	343	470	4020	335	99
Nephrolo gy	333	253	348	342	363	325	296	325	341	393	341	429	4089	341	57
MONTH	JAN	FEB	MARCH	APRIL	MAY	JUNE	AULY	AUGUST	SEPT	OCT	NOV	DEC	Total	Monthly	Avg

PRINCIPAL
MGM'S MOTHER TERESA COLLEGE OF NURSING
N-6,CIDCO,Chhatrapati Sambhajinagar

MAHATMA GANDHI MISSION HOSPITAL AURANGABAD
TOTAL ADMISSION OF IPD FROM IAN 2024 to DEC 2024

Marker    Mark	L	2000							TOTAL		NOISSI	OF IPD FI	ROM JA	N 2024	ADMISSION OF IPD FROM JAN 2024 to DEC. 2024	024									
MAKCH  677   678	σŽ				Pul. MED			Surg	Ortho		OBGY	ENT	Opht		Neph	Cardiolog	152238			Neuro. Surg	Paed.	HPB	EMS	Total	
AANCHI         677         687         687         678         679			836	2000	103	72	72	546	267	751	524	. 83	353	3	182	269	15	55	4	8	9	62	-	4755	
AMAICH         873         67         7	2		789	9	81	95	81	539	257	732	478	102	299	45	137	272	15	74	46		m	48		4064	
ALI         STATE         S	1	_	_	-	717	ē	E	200		3				30.0	1 2						ı		1		
April         873         3         83         83         84         954         44         534         636         723         124         646         164         165         165         164	2	-		1	114	31	1	242	250	169	547	87	302	19	173	257	37	74	43	-	1	49		4192	
MAY         Stot	4	-	873	6	83	28	44	524	305	728	532	124	266	40	165	257	34	61	44	6	2	2.4		4130	
AULY         887         9         9         9         7         408         74         206         77         154         258         34         73         38         2         2         2         3           JULY         780         9         3         64         305         644         305         674         307         670         146         284         29         49	"	-	040		8	,	3			į										1	7	+7		4133	
JULY         887         9         9         9         9         9         146         92         146         92         146         146         1284         1	1		0/0		70	34	54	019	266	674	408	74	226	77	154	258	34	73	38	2	2	32	1	3977	
AULY         887         5         103         43         48         621         255         716         404         92         221         153         163         723         46         74         73         74         75         74         75         74         75         75         45         75         45         75         46         75	9		760		16	30	54	649	293	684	395	92	207	09	146	284	56	49	49	m		42	1	3919	
ALICAL         OSAT         103         43         43         448         051         436         436         163         163         163         163         163         163         163         163         163         163         163         163         164         92         211         120         163 <th>1</th> <td>+</td> <td>200</td> <td>,</td> <td>200</td> <td></td> <td>0,</td> <td>10000</td> <td></td> <td>808800</td> <td></td>	1	+	200	,	200		0,	10000		808800															
AUG         983         9         9         4         4         6         6         6         6         7         7         4         9         1         6         6         7         7         4         9         1         6         1         6         7         7         4         9         7         4         7         4         9         1         4         5         4         6         7         7         4         8         2         1         6         7         6         7         7         4         7         1         7         6         7 <th>1</th> <td></td> <td>/80</td> <td>0</td> <td>103</td> <td>43</td> <td>48</td> <td>621</td> <td>255</td> <td>716</td> <td>404</td> <td>92</td> <td>221</td> <td>128</td> <td>163</td> <td>273</td> <td>46</td> <td>74</td> <td>53</td> <td>-</td> <td>2</td> <td>45</td> <td>1</td> <td>4181</td> <td></td>	1		/80	0	103	43	48	621	255	716	404	92	221	128	163	273	46	74	53	-	2	45	1	4181	
SEPT         879         5         95         33         44         534         256         779         430         86         210         95         125         125         450         45	00		586		93	40	63	612	260	735	377	90	300	133		0.50									
OCT         884         4         534         534         536         797         430         86         210         95         125         282         46         59         60         3         49         49           OCT         884         4         50         43         51         543         520         878         378         86         214         74         129         328         36         102         72											2/2	~	907	771	141	790	43	49	45	ហ	7	20		4179	
OCT         884         4         90         43         51         543         290         858         378         86         214         74         129         328         36         129         378         378         86         214         74         129         328         36         129         878         214         74         129         328         36         128         378         36         128         371         429         378         419         87         211         60         108         243         52         88         243         378         428         373         418         87         428         378         88         420         373         418         379         428         429         373         418         379         428         428         429         378         428         428         429         429         429         428         429 <th>6</th> <td>SEPT</td> <td>879</td> <td>5</td> <td>95</td> <td>33</td> <td>44</td> <td>534</td> <td>256</td> <td>197</td> <td>430</td> <td>98</td> <td>210</td> <td>95</td> <td>125</td> <td>282</td> <td>46</td> <td>59</td> <td>09</td> <td>m</td> <td></td> <td>49</td> <td>+</td> <td>4088</td> <td></td>	6	SEPT	879	5	95	33	44	534	256	197	430	98	210	95	125	282	46	59	09	m		49	+	4088	
OCT         884         4         90         43         51         543         290         888         378         86         214         74         129         328         36         102         72		S. Carrier	1											8.0		÷			7,2500		T		+		
NOV         851         2         93         45         52         579         329         655         419         87         221         60         108         243         52         80         53         6         7         42           DEC         1000         1         93         52         58         622         360         675         450         99         273         89         128         592         38         87         62         5         5         5         7         5         53           Monthly         873         42         58         577         282         755         45         92         5         7         45         87         7         87         87         7         87	10		884	4	06	43	51	543	290	858	378	98	214	74	129	328	36	102	72	2		65		4249	*
DEC         1000         1         93         52         58         622         360         675         450         99         273         89         128         292         38         89         128         89         128         89         128         869         537         1108         3000         854         1751         3275         425         837         609         38         19         42         88         42         88         42         425         425         425         44         92         250         71         146         273         35         70         81         9         47           Monthly         873         3         93         42         58         577         282         725         445         92         250         71         146         273         35         70         81         9         47           AVG         29         3         1         2         19         24         15         3         8         2         5         9         1         2         9         1         2         9         1         2         9         1         2         2         0<	=	NOV	851	2	93	45	52	579	329	655	419	87	221	09	108	243	52	80	53	9		42	1	3977	
DEC.         1000         1         95         52         58         622         360         675         450         99         273         89         128         292         128         89         128         622         38         652         360         675         450         675         450         273         1108         300         854         1751         3275         425         837         609         38         19         600         38         19         425         445         92         250         71         146         273         35         70         81         9         70         87           AVG         29         3         1         2         19         9         24         15         3         8         2         5         9         1         2         9         1         2         9         1         2         9         1         2         9         1         2         9         1         2         9         1         2         9         1         2         9         1         2         9         1         2         9         1         2         2         2		044	000.		1		The state of the s	9375	1000000																
al 10477 36 1121 507 692 6921 3388 8696 5337 1108 3000 854 1751 3275 425 837 609 38 19 561 hy 873 3 93 42 58 577 282 725 445 92 250 71 146 273 35 70 51 3 2 47	12	DEC	1000	-1	93	52	28	622	360	675	450	66	273	68	128	292	38	87	62	r.		53	2	4437	
hy 873 3 93 42 58 577 282 725 445 92 250 71 146 273 35 70 51 35 47 609 38 19 561		Total	10477	36	1711	507	603	1003	2200	2020	2002	0011	0000	1								Н	Н		
hy 873 3 93 42 58 577 282 725 445 92 250 71 146 273 35 70 51 3 2 47 47 29 24 15 3 8 2 5 5 9 1 2 2 0 0 0 2				2		100	760	1720	2200	0600	2337	2011	3000	824	1751	3275		837	609	38			200	49657	
29     0     3     1     2     19     9     24     15     3     8     2     5     9     1     2     2     0     0     2		Monthly	873	3	93	42	58	577	282	725	445	92	250	12	146	373	35	9	1			-	-2		
29         0         3         1         2         19         9         24         15         3         8         2         5         9         1         2         2         0         0         2	T						Ħ						***	:	T.A.	617	S	0/	16	5			-	4138	
		Daily AVG	29	0	3	1	2	19	6	24	15	6	90	2	S	6	-	72	2	0	0.00	7		138	

MGM'S NOTHER TENESA COLLEGE OF NURSING
N-6,CIDCO,Chhatrapati Sambhajinagar

# MAHATMA GANDHI MISSION HOSPITAL AURANGABAD

TOTAL PATIENT OF IPD FROM JAN 2024 TO DEC 2024

- 1	i i	20										3	3				
TOTAL	21109	18279	17722	17466	17488	18646	17857	18841	19457	19737	20839	22800	230241	19187	640	83	772
Opht	596	827	862	719	683	682	754	745	721	721	734	787	9136	192	25	82	30
ENT	707	089	747	746	791	789	789	735	748	735	738	601	9088	734	24	82	30
OBGY	2643	2492	2692	2587	2212	2184	2109	1671	2010	1926	3456	2362	28344	2362	79	62	100
Pead	3373	2223	2052	2355	1880	2669	2230	2509	3146	3536	2308	3362	31643	2637	88	88	100
Ortho	2380	2149	2132	2131	2189	2267	2126	2179	2001	2102	2258	2355	26269	2189	73	16	80
Surg	4577	4259	3589	3001	4151	4370	4381	4388	4132	3861	4432	5167	50308	4192	140	93	150
PSY	969	615	483	504	436	438	459	487	519	510	498	699	8069	526	18	88	. 02
SKIN &	577	577	306	289	252	150	314	261	271	288	332	507	4124	344	11	95	12
Pul. MED	834	594	684	700	428	683	707	749	845	871	998	098	8821	735	25	83	30
Med	4357	3863	4239	4434	4466	4414	3988	5117	5064	5187	5217	6136	56482	4707	157	11	220
MONTH	JAN	FEB	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPT	ОСТ	NOV	DEC	Total	Monthly	Daily AVG	Bed Accu %	Total Bed

PRINCIPAL
PRINCIPAL
NGM'S MOTHER TFRESA COLLEGE OF NURSING
N-6, CIDCO, Chhatrapati Sambhajinagar

# MAHATMA GANDHI MISSION HOSPITAL AURANGABAD TOTAL PATIENT OF S.S IPD FROM JAN 2024 to DEC . 2024

								8						in the same	9#	-
2990	2735	2997	2590	2732	2850	3333	2896	2726	3200	2635	2904	34588	2882	93	83	112
296	550	717	277	333	566	543	477	389	489	465	455	5857	488	16	79	20
347	331	312	434	406	410	313	412	431	467	402	417	4682	390	13	79	16
969	542	209	530	591	665	820	099	571	702	992	710	7694	641	21	69	30
297	450	482	479	642	593	814	538	739	806	460	689	7391	616	20	. 99	30
854	862	879	870	760	682	843	608	969	634	542	633	8964	747	24	151	16
JAN	FEB	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPT	OCT	NOV	DEC	Total	Monthly	Daily	Occupancy	Bed
	854 597 596 347 596	854     597     596     347     596       862     450     542     331     550	854         597         596         347         596           862         450         542         331         550           879         482         607         312         717	854       597       596       347       596         862       450       542       331       550         879       482       607       312       717         870       479       530       434       277	854       597       596       347       596         862       450       542       331       550         879       482       607       312       717         870       479       530       434       277         760       642       591       406       333	854       597       596       347       596         862       450       542       331       550         879       482       607       312       717         870       479       530       434       277         760       642       591       406       333         682       593       599       410       566	854         597         596         347         596           862         450         542         331         550           879         482         607         312         717           870         479         530         434         277           682         593         599         410         566           843         814         820         313         543	854         597         596         347         596           862         450         542         331         550           879         482         607         312         717           870         479         530         434         277           760         642         591         406         333           682         593         599         410         566           843         814         820         313         543           809         538         660         412         477	854         597         596         347         596           862         450         542         331         550           879         482         607         312         717           870         479         530         434         277           760         642         591         406         333           682         593         599         410         566           843         814         820         412         477           809         538         660         412         477           566         739         571         431         389	854         597         596         347         596           862         450         542         331         550           879         482         607         312         717           870         479         530         434         277           682         593         591         406         333           682         593         599         410         566           843         814         820         313         543           809         538         660         412         477           596         739         571         431         389           634         908         702         467         489         5	854         597         596         347         596           862         450         542         331         550           879         482         607         312         717           870         479         530         434         277           760         642         591         406         333           682         593         599         410         566           843         814         820         313         543           809         538         660         412         477           596         739         571         431         389           634         908         702         467         489           542         467         489         57	854         597         596         347         596           862         450         542         331         550           862         450         542         331         550           879         482         607         312         717           870         479         530         434         277           682         593         591         406         333           843         814         820         410         566           809         538         660         412         477           809         538         660         412         489           634         908         702         467         489           634         460         766         402         465           633         689         710         417         455	854         597         596         347         596           862         450         542         331         550           879         482         607         312         717           870         479         530         434         277           682         593         591         406         333           682         593         599         410         566           843         814         820         313         543           809         538         660         412         477           596         739         571         441         489           634         908         702         467         489           633         689         710         417         455           633         689         710         417         455         3           8864         7391         764         468         3         3	854         597         596         347         596           862         450         542         331         550           862         450         542         331         550           870         482         607         312         717           870         479         530         434         277           760         642         591         406         333           682         593         599         410         566           843         814         820         410         566           809         538         660         412         477           596         739         702         467         489           634         908         702         467         465           542         710         417         455         2           634         908         710         417         455         2           633         689         710         468         5857         3           8964         747         890         488         2	854         597         596         347         596         2990           862         450         542         331         550         2735           879         482         607         312         717         2997           870         482         607         312         717         2997           760         642         530         434         277         2590           682         593         591         406         333         2732           682         593         599         410         566         2850           843         814         820         313         543         3333           809         538         660         412         477         2896           596         739         702         467         489         3200           634         908         702         467         489         3206           633         689         710         417         455         2904           8964         7391         764         4682         5887         34588           747         616         641         390         488         2882     <	862         450         596         347         596         2990           862         450         542         331         550         2735           879         482         607         312         717         2997           870         482         607         312         717         2997           870         482         607         312         717         2997           760         642         591         406         333         2732           883         814         820         410         566         2850           843         814         820         412         477         2896           843         814         820         412         477         2896           843         814         820         412         477         2896           856         739         571         467         489         3200           856         740         467         489         3282           8964         7391         7694         4682         5857         34588           8964         20         21         39         488         282           <



MGN'S NOTHER TERESA COLLEGE OF NURSING N-6,CIDCO,Chhatrapati Sambhajinagar

# MAHATMA GANDHI MISSON'S HOSPITAL

Regd No: 339

MONTHLY Deliveries for the Year of :2024

Sr.No	Month	Normal Deliveries	rscs	Delivery By Forces/ Vacuum	Total Deliveries	TWINS	Total New Born	Total No. of Fetal Deaths /IUD + FSB	Total No. of Live Births
-	Jan.	112	165	1	278	4	282	8	274
2	Feb	100	123		223	5	228	9	222
n	Mar	117	134	-	252	4	256	9	250
4	APRIL	132	141	1	274	4	278	9	272
w	MAY	100	156	1	257	3	260	8	252
9	JUNE	94	141	2	237	8	245	3	242
7	JULY	102	114		216	4	220	3	217
∞	AUGUST	104	114		218	3	221	2	219
6	SEPT	115	159		274	9	280	6	271
9	OCT	126	134		260	4	264	8	256
11	NOV	103	102		205	2	207	7	200
12	Dec	101	126	2	229	П	230	\$	225
72	TOTAL	1306	1609	<b>∞</b>	2923	48	2971	71	2900

Total Deliveries: 2923
Total Live Births: 2900

Total Fetal Death: 71

MGM'S MOTHER TERESA COLLEGE OF NURSING N-6, CIDCO, Chhatrapati Sambhajinagar

# MAHATMA GANDHI MISSION'S HOSPITAL

LIST OF OPERATION FROM JAN. 2024 DEC . 2024

			_					_	_	Т	_			_					E-100				50				
_	otal	1	2000	5697	2563	0,000	3513	3078		2998		3059		3642		3252	3320		3076	3004	1000	3505	2000	3/004	3139		131
	НРВ	Min	;	7.4	31	;	44	29		46		47		51		37	30	į	37	30	3	16	100	420	36		2
		Ma.	36	C7	29	35	6	13		24		32		28	5	30	21	50	77	22		11	202	727	24		1
	GY	Minor	107	171	184	202	707	130		43		36		49	Ļ	40	127	9	30	99		98	1102	_	66		4
**	OBGY	Major	234	107	201	199		219		184		135		162	164	104	236		661	147		238	1 8222	1	190	Н	&
	ENT	Minor	309		251	281		267		273		196		272	227		354	222	+	293	H	306 2	3451 2		288 1		12 8
	Ш	Major	63		57	29		29		55		56		82	27.	;	47	2,4	3	38		25	694		58		2
	thal	Minor	82		202	195		207		506		405		842	209		814	669		640		179	5622 6	-	469	+	20
	Ophthal	Major	187		142	256		202		147		185		102	108	+	97 6	38		82 6	H	171	1672 56	L	139 4		-
	adics	Minor	233		216	243		175		90	-	98		22	62	+	165	27		72 8	+	104	1520 16	-	127	+	٥
	Orthopeadics	Major	122		128	115		115		138		144		138	136		117 1	101	+	110	1 20 1	-	1493 15			+	ŋ
	C.V.T.S	Major	41	X.	40	41		37		43		14	- 13	50 1	45 1	H	44 1	47 1				+			) 124	-	2
	ardio		342		370	364	×			-	+	-						19	H	38	1	+	481		40	٠	7
S		Minor	3		3,	36		397	-	380	-	390		417	404		408	444		330	398	3	4644	-	387	10	2
ialite	Nephro	Major Mi			2	-			+	- 1	+	ŝ.	-	-			_	1							0	c	2
erspec	- 1		2		-1				-	2		2	2		Н			2		1			11		Н	c	•
& Sup	Urology	Minor	39		43	42		25		23	e e	53		26	53	J	45	46		40	42		513		43	2	,
rgery d	5	Major	41		44	40		36	1	36	L	35		20	49		20	28		32	35		476		40	,	
Genral Surgery & Superspecialites	Plastic Surgery	Minor	59		46	89		32	,	09	i,	65		99	55		45	88		62	06		739		62	c	,
Gen	Pla Sur	Major	45		43	39		44	1	53	23	76		41	46		40	26		37	42		538	W.Caron	45	2	
	Surgery	Minor	382		327	943		754	000	873	700	196	The state of the s	879	899		431	601		629	698	3	8154		089	28	
	Su	Major	213		202	339		324	C L	352	357	766		300	264	1000	249	272		285	304		3459	+	288	12	
	MONTH		IAN.		FEB	MAR		APR	MAN	MAI	NIII	Not		JULY	AUG		SEPT	OCT		NON	DEC		TOTAL		Monthly	Daily	





2 DEC 2022

COCEC 14/144 THE

Man

प्रमोद म. कुलकणी मुद्रांक विकेत एवं ें को औरगाबाद Licenca No. 3101954

Morne The Court Municipal

## **MEMORANDUM OF UNDERSTANDING**

The management of (here in after referred to as Nursing College) through their Authorized Officer Dr. Satishchandra Tukaram Buyite (Principal) MGM Mother Teresa College of Nursing—Nursing College on one part.

AND

The Management of Society for Psychiatric Update and Research, Shann Nursing Home, Kanchenwadi, Paithan Road, Aurangabad-431005 (here in after referred to as SPUR) through its President Dr. Vinay Laxmikant Barhale, on the other part.

Hereby, mutually execute an agreement which reads as under:

- 1. MGM Mother Teresa College of Nursing, Aurangabad is running a Nursing College affiliated to Maharashtra University of Health Sciences, Nashik University since 2007.
- University since 2017.

  2. As a post of the corriculum prescribed by Indian Nursing Council, New Delhi Principa Systems need to take training in Psychiatric discipline. PRINC

MGN'S MOTHER TERESA COLLEGE OF NURSI N-6,CIDCO,Chhatrapati Sambhajinagar

PRINCIPAL Enis nother terest cottect of bursil G

## Society for Psychaitric Update & Research

(Trust Reg. No. F7725/AU, Dt. 26/11/2002)

Shanti Nursing Home, Kanchanwadi, Paithan Road, Aurangabad - 431 005.

Toll Free No.: 08047661620 Fax: 0240-2379333. E-mail: shantinursinghome79@rediffmail.com

Date:02/02/2023

## TO WHOM SO EVER IT MAY CONCERN

This is to certify that, Shanti Nursing Home, Aurangabad having Memorandum of Understanding with MGM Mother Teresa College of Nursing, Aurangabad; for their B.Sc. Nursing, Post Basic B.Sc. Nursing (UG) and M.Sc. Nursing (PG) admitted student's clinical experiences (Psychiatric Nursing).

Shanti Nursing Home, Aurangabad it pertains to the care of Psychiatric patients with Bed the strength of 80 (Eighty).

Dr. Vinay Barhale

(Director)

265Garch

N-6,CIDCO,Chhatrapati Sambhajinagar



# MAHARASHTRA STATE MENTAL HEALTH AUTHORITY (MSMHA)

Form-F

[See rule 66]

# CERTIFICATE OF PERMANENT REGISTRATION OF MENTAL HEALTH ESTABLISHMENT

The Maharashtra State Mental Health Authority, after considering the application under section 65 (2) or section 66 (3) or section 66(10) or section 66 (17) of the Mental Healthcare Act, 2017, hereby accords Permanent Registration to the applicant mental health establishment in terms of section 66 (4) or section 66 (11), or section (17) as per the details given hereunder:

Name: - Dr. Vinay Lakshmikant Barhale

Address: - Dr. Barhale Medical Centre Pvt. Ltd. Shanti Nursing Home, Kanchanwadi Paithan Road Aurangabad -431005

No of beds: - 80

Permanent Registration Certificate No.40/2023

The Permanent registration certificate No.40/2023 issued, is subject to the conditions laid down in the Mental Healthcare Act, 2017 and the rules and regulations made there under.

Place: Mumbai

Date:06/06/2023

Dr. Swapnil Late
Chief Executive Officer
State Mental Health
Authority, Mumbai
Seal of the Registration Authority

Registration Authority

(MSMHA)

PRINCIPAL
MGM'S MOTHER TERESA COLLEGE OF NURSING
N-6,CIDCO,Chhatrapati Sambhajinagar

## MAHARASHTRA POLLUTION CONTROL BOARD

Tel: 24010437/24020781 Fax: 24024068/24023515 Website: http://mpcb.gov.in Email: pso@mpcb.gov.in



Kalpataru Point, 2nd and 4th floor, Opp. Cine Planet Cinema, Near Sion Circle, Sion (E), Mumbai-400022

ORANGE/S.S.I

No:- Format1.0/PSO/UAN No.0000154695/CO/2301000824

To,
DR. BARHALE MEDICAL CENTRE PVT. LTD.
Gut No-8, Shanti Nursing Home, Kanchanwadi,
Paithan Road, Aurangabad-431005

Email:snh\_abad@rediffmail.com Contact No.:9860798055



Date: 09/01/2023

Combined Consent to 1st Operate and BMW Authorization (CCA) under the provisions of Water (P & CP) Act, 1974, Air (P & CP) Act, 1981 and Bio-Medical Waste Management Rules, 2016 as amended and Hazardous Waste (M & TM) Rules, 2016.

- **Ref:** 1. Combine Consent and Bio-Medical Waste Authorization granted by the Board vide no.Format1.0/Bo/PSO/HOD-2001001977 dated 29/01/2020.
  - 2. Your application for Combine Consent and Bio-Medical Waste Authorization dated 30/11/2022
  - 3. Scrutiny letter dated 07/12/2022.
  - Document uploaded on 09/12/2022.
  - 5. Email dated 05/01/2023
  - 6. Document uploaded on 05/01/2023,06/01/2023 & 09/01/2023.

After examining the proposal, The Maharashtra Pollution Control Board hereby grant 1st operate Combined Consent and BMW Authorization to HCE under Section 25/26 of the Water (P&CP) Act, 1974, Section 21 of the Air (P&CP) Act, 1981 and Bio-Medical Waste Management Rules, 2016, and Authorization under Rule 5 of the Hazardous Wastes (Management & Transboundary Movement) Rules, 2016 respectively, under Environment (Protection) Act, 1986, subject to terms and conditions as specified below and in the **Schedules(I-IV) and Annexures (I-II)** enclosed in this order.


- 1. This CCA shall be in force for a period From **04-12-2022** To **30-11-2032**
- 2. The capital investment of the HCF is ₹571.49 Lakhs (As per C.A Certificate Submitted by HCF)
- 3. HCF Area: Plot Area 4497.00 M<sup>2</sup> with Built-up area 881.00 M<sup>2</sup>.
- 4. Activities Included

a. Total Number of Beds: **80 Nos.** (As per BNH certificate no 57 valid upto 27-11-2024)

PRTNCIPAL MGM'S MOTHER TERESA COLLEGE OF NURSING N-6,CIDCO,Chhatrapati Sambhajinagar

- **10.** You shall not undertake Modifications/ Upgrdation in existing facility without obtaining prior Environment Clearance under the Provision of EIA notification, 2006 Or Consent to Establish from the MPC Board as applicable.
- **11.** Any unauthorized change in Location, Name, personnel, equipment or working conditions as mentioned in the application by you shall constitute a breach of this CCA. In case of any change you shall apply fresh for CCA or amendment as applicable.
- **12.** You shall not Rent, Lend, Sell, Transfer or Close Down the facility or otherwise transport / Handover the Bio-Medical waste generated for any other purpose without obtaining prior written permission of the MPC Board.
- **13.** This Board reserves the right to review, amend, suspend, revoke, or change any of the conditions applicable under this CCA and the same shall be binding on the HCE.
- **14.** You shall maintain records of MPC board Officers visit and shall obey all the lawful instructions issued by the Board Officers from time to time.
- **15.** Any violation of provisions of BMW Management Rules, 2016 as amended shall attract the penal provisions of Environment (Protection) Act, 1986 and Violations under the provisions of Water (P&CP) Act 1974, Air (P&CP) act 1981 shall attract provisions of respective act including closure of the facility and prosecution.
- **16.** This CCA shall not be construed as exemption from obtaining necessary NOC/permission from any other Government agencies as applicable.
- **17.** As per SRO, MPCB, Aurangabad Process Remark you have installed STP hence The Bank Guarantee of Rs. 2.00 Lakh is eligible for release
- **18.** You shall submit the bank guarantee of Rs.75000/- towards compliance of conditions as specified in Schedule III to The Regional Officer, MPCB, Aurangabad within 30 days. Non-submission of B.G. in specified time shall attract revocation of this CCA without further notice





74772cfb 9a4ca635 ca96eb3a d71123ef a59d02f 392ea611 7b844e85 6a171alf Signed by: Dr. Amar R. Supate
Principal Scientific Officer
For and on behalf of,
Maharashtra Pollution Control Board
pso@mpcb.gov.in
2023-01-09 18:11/32 IST

### Received Consent/Authorization fee of -

ir.No	Amount(Rs.	Transaction/DR.No.	Date	Transaction Type
1	75000.00	TXN2212000295	02/12/2022	Online Payment
2	51500.00	TXN2301000726	05/01/2023	Online Payment

## Copy to:

- 1. Regional Officer, MPCB, Aurangabad and Sub-Regional Officer, MPCB, Aurangabad I
- Regional Officer, MPCB, Aurangabad directed to ensure submission of fresh Bank Guarantee by hospital as specified in Schedule III of CCA and monitor the compliance.

Sub Regional Officer, Aurangabad directed to ensure the compliance of the CCA conditions.

- 2. Cheif Accounts Officer, MPCB, Sion, Mumbai
- 3. I/C EIC- for record & website updating purpose.

PKINCIPAL MGM'S MOTHER TERESA COLLEGE OF HURSING N-6,CIDCO,Chhatrapati Sambhajinagar

# Terms & conditions for Incinerator(s) and D.G. Set(s) under Air (P & CP) Act, 1981 and Bio Medical waste management Rule, 2016: (Refer Condition No.6)

1. You shall observe following fuel pattern and erect following stack (s):

Sr. No.	Stack Attached to	Fuel Type	Quantity	Stack Height (Mtr)
1	DG SET(62.5 KVA)	Diesel	10.00 Ltr/Hr	10.00

- The Applicant shall obtain prior permission of MPC board for providing additional control equipment with necessary specifications and operation thereof or replacement/alteration well before its life come to an end or erection of new pollution control equipment.
- 3. The Board reserves its rights to vary all or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of any control equipment, either in whole or in part as necessary).
- 4. Conditions for D.G. Set:
  - a. Noise from the D.G. Set should be controlled by providing an acoustic enclosure or by treating the room acoustically for control of noise.
  - b. Acoustic enclosure/acoustic treatment of the room should be designed for minimum 25 dB (A) insertion loss or for meeting the ambient noise standards, whichever is on higher side. A suitable exhaust muffler with insertion loss of 25 dB(A) shall also be provided. The measurement of insertion loss will be done at different points at 0.5 meters from acoustic enclosure/room and then average.
  - c. You shall make efforts to bring down noise level due to DG set, outside industrial premises, within ambient noise requirements by proper sitting and control measures.
  - d. Installation of DG Set must be strictly in compliance with recommendations of DG Set manufacturer.
  - e. A proper routine and preventive maintenance procedure for DG set should be set and followed in consultation with the DG manufacturer which would help to prevent noise levels of DG set from deteriorating with use.
  - f. D.G. Set shall be operated only in case of power failure.
  - g. The applicant should not cause any nuisance in the surrounding area due to operation of D.G. Set.
  - The applicant shall comply with the notification of MoEFCC dated 17.05.2002 regarding noise limit for generator sets run with diesel.
- 5. You shall take adequate measures for control of noise levels from its own sources within the premises so as to maintain ambient air quality standard in respect of noise to less than 75 dB (A) during day time and 70 dB (A) during night time. Day time is reckoned in between 6 a.m. and 10 p.m. and night time is reckoned between 10 p.m. and 6 a.m.

PRINCIPAL
MGM'S MOTHER TERESA COLLEGE OF NURSING
N-6, CIDCO, Chhatrapati Sambhajinagar

## Responsibilities of the CTF Operator of the Facility

- You shall handover Bio Medical waste only to MPCB Authorized Common Bio medical waste treatment and Disposal facility Water Grace Products, Aurangabad and maintain records thereof for 5 years.
- 2. You shall establish bar code for handling of bio-medical waste,
- You shall ensure segregation of Bio-Medical Waste in colour coded bags as per BMW Management Rules, 2016
- 4. You shall not store Bio Medical waste beyond 48 hours from the generation.
- You shall use only non-chlorinated plastic coloured bags.
- 6. You shall ensure use of colour coded bins and bags for segregation of BMW as required under BMW Management Rules 2016.
- 7. You shall not mix General/other Solid waste with Bio Medical Waste.
- 8. You shall ensure segregation, treatment and disposal of General / Other Municipal solid waste as per Solid Waste Management rules, 2016.
- You shall pay the charges to authorized Common Bio Medical waste Treatment and Disposal facility for its services as agreed upon during the membership registration or as amended.
- 10. You shall comply and strictly abide with the conditions stipulated in BMW Management Rules, 2016 as amended time to time.
- 11. You shall handover Plastic / Metal waste (BMW) to Common Bio medical waste treatment and Disposal facility allocated to you for treatment & disposal or plastic/ metal recycler authorized by MPCB for BMW Handling and maintain records thereof & submit to MPCB in Annual report.
- 12. You shall provide training to all workers involved in handling of bio-medical waste at the time of induction and at least once a year thereafter and maintain record thereof.
- 13. You shall undertake appropriate medical examination of all BMW Waste handlers & staff at the time of induction and at least once in a year and immunize all involved in management of Bio Medical Waste for protection against diseases, including Hepatitis B and Tetanus, that are likely to be transmitted while handling bio medical waste and maintain the records for the same.
- 14. You shall ensure use of personal protective Equipment such as Heavy Duty Gloves (Workman's Gloves), Gum Boots or safety shoes for waste collectors, Face mask, Head Cap, Splash Proof Gowns or aprons etc., Disposal gloves by waste handlers.
- 15. You shall develop and operate own website. The website should be uploaded on monthly basis with all the information relating to Bio-Medical waste management including this CCA and other permission and report.
- 16. You shall maintain all record for Generation, for a period of five years and produce whenever asked by MPCB authorities.
- The occupier and operator of a Health Care Establishment shall be liable for all the damages caused to the environment or the public due to improper handling of biomedical wastes.
- 18. You shall ensure submission of Annual Report of BMW for the period Jan to Dec, including category and quantity of BMW Generated and Disposed in Form IV for preceding year before 30th June of every year to the Regional Office, MPCB, Aurangabad and uploading the same to MPCB Portal (https://www.ecmpcb.in/).

### **General Conditions**

## The following general conditions shall apply:-

- You shall provide facility for collection of environmental samples and samples of trade and sewage effluents, air emissions and hazardous waste to the Board staff at the terminal or designated points and shall pay to the Board for the services rendered in this behalf.
- Whenever due to any accident or other unforeseen act or event, such emissions occur
  or is apprehended to occur in excess of standards laid down, such information shall be
  forthwith reported to Board, concerned Police Station, Executive Engineer MIDC and
  Local Body. In case of failure of pollution control equipment's, the process connected
  to it shall be stopped.
- You shall provide an alternate electric power source sufficient to operate all pollution control facilities installed to maintain compliance with the terms and conditions of the consent. In the absence, the applicant shall stop, reduce or otherwise, control operation to abide by terms and conditions of this consent.
- 4. You shall submit to this office, the 30th day of September every year, the Environmental Statement Report for the financial year ending 31st March in the prescribed Form-V as per the provisions of rule 15 of the Environment (Protection) (Second Amendment) Rules, 1992.
- You shall comply with the Hazardous Waste (M, H & TM) Rules, 2016 and submit the Annual Returns as per Rule 20(2) of Hazardous Waste (M, H & TM) Rules, 2016 for the preceding year April to March in Form-IV by 30th June of every year to Regional Office, Aurangabad.
- You shall engage qualified staff/personnel/agency to see the day to day compliance of consent & authorization condition towards Environment Protection.
- 7. Separate drainage system shall be provided for collection of trade and sewage effluents. Terminal manholes shall be provided at the end of the collection system with arrangement for measuring the flow. No effluent shall be admitted in the pipes/sewers downstream of the Terminal manholes. No effluent shall find its way other than in designed and provided collection system.
- 8. Neither storm water nor discharge from other premises shall be allowed to mix with the effluents from the HCE.
- 9. You shall install a separate meter showing the consumption of energy for operation of domestic and industrial effluent treatment plants and air pollution control system. A register showing consumption of chemicals used for treatment shall be maintained.
- You should not cause any nuisance in surrounding area. You shall maintain good housekeeping.
- 11. You shall bring minimum 33% of the available open land under green coverage/ plantation. The applicant shall submit a yearly statement by 30th September every year on available open plot area, number of trees surviving as on 31st March of the year and number of trees planted.
- 12. The non-hazardous solid waste arising in the HCE premises, sweepings, etc. be disposed of scientifically so as not to cause any nuisance / pollution. The applicant shall take necessary permissions from civic authorities for disposal of solid waste.
- 13. You shall achieve the National Ambient Air Quality standards prescribed vide Government of India, Notification Dated. 16/11/2009 as amended.

PRINCIPAL



महाराष्ट्र MAHARASHTRA

0 2017 0

3.5. ७६ दिखंड: १।८।२०१८ कि १००० हिला है। देसा पेप्या याचे गव ( हस्ते) भी व भी गाँच होते है। देसा के किया है। देस किया है। देस किया है। देस के किया है। देस किया है। देस के किया है। देस क

M.G.M. Mother Teresa College of Nursing, N-6, Cideo, Aurangabad and Prerana Hospital. Aurangabad. As part of our Mental Health Nursing (Psychiatric Nursing) clinical postings program, M.G.M. Mother Teresa College of Nursing, N-6, Cideo, Aurangabad enters into this Memoranaum of Arganian and Alexan with Prerana Hospital. Aurangabad.

To further our vision of optimizing health care delivery and the overall health and wellbeing of the companies well as education and learning of clinical skills for Nursing students. The purpose of the Nicoland and expectations for the relationship between M.G.M. Mother Teresa College of Nursing Nicolands Aurangabad and Preriona Hospital, Aurangabadas it pertains to the care of Psychians of services from nursing students of M.G.M. Mother Teresa College of Nursing, Nicolands and employed a framework for access to services, effective collaboration, and a neity common against both.

## Goals for M.G.M. Mother Teresa College of Nursing, N-6, Cideo, AurangabadandPrevana Hospital, Aurangabad:

- Provide optimal health care for psychiatric patients, allowing access to narring a case of a second state is timely, high quality and psychiatric patients centered.
- Improve collaboration, communication, coordination of services, and continuity at the reservices efficient, real-time communication of psychiatric patient sinformation among the expension psychiatric patients.
- Provide comprehensive nursing care to patients by using nursing process.

PRINCIPAL

PRINCIPAL

AGN'S NOTHER PERCENCIONAL DESCRIPTION OF NUMBER OF NUM



Prerana Hospital, Aurangabad	M.G.M. Mother Teresa College of Nursing, N.G.
Inform Prerana Hospital, Aurangabadof the relationship with M.G.M. Mother Teresa College of Nursing, N-6, Cidco, Aurangabad	Providing logistical support for transportation and required equipment's or necessary tools and materials to students for successful health care delivery
Allowing assistance and guidance to students of M.G.M. Mother Teresa College of Nursing, N-6, Cidco, Aurangabad from technical and medical or paramedical staff during Clinical postings	Scheduling Clinical experience and managing psychiatric patients care and safety during Nursing care
Provide students of M.G.M. Mother Teresa College of	Review clinical information sent by the care taker.
Nursing, N-6, Cidco, Aurangabadwith any necessary medical information for the admission, including medications, chronic diagnosis, etc.	As a service provider, MGM. Mother Teresa College of Nursing will not expect any kind of honorarium for Students/Institute fromPrerana Hospital, Aurangabad.
Confer with students of M.G.M. Mother Teresa College of Nursing, N-6, Cidco. Aurangabad to provide list of specialists who have agreed to provide services topsychiatric patients if indicated.	At the discretion of the attending provider, contact clinical supervisor or subject inchargeto discuss any serious complications or change in status and collaborate on recommended plan to support the psychiatric patients/family, as appropriate.

Other terms:

Volume or Value of Referrals

Nothing in this MOU requires, is intended to require, or provides payment or benefit of my kind (directly or indirectly) for the referral of individuals or businesses to either Party by the other Party. Neither Party thall track such referrals for purposes relating to setting the compensation of its professionals or influencing their choice.

Confidentiality

The Parties (and their directors, officers, employees, agents, and contractors) shall manatain the privacy and confidentiality of all information regarding the personal facts and circumstances of their psychiatric patients in accordance with all applicable state laws and regulations. The Parties (and their directors, officers, employees, agents and contractors) shall not use or disclose psychiatric patients information, other than as permitted or required by this MOU for the proper performance of duties and responsibilities here under. The Parties shall use appropriate safeguards to prevent use or disclosure of psychiatric patient's information, other than as provided for under this MOU.

Termination

This MOU may be terminated by either Party without penalty or cause by giving written notice (2 months before) to the other Party.

**Notices** 

All notices and other communications required or permitted under this MOU, unless otherwise stated, shall be deemed duly given if in writing and delivered personally, via e-mail.

Dispute Resolution

If a dispute arises regarding this MOU, M.G.M. Mother Teresa College of Nursing, N-f Cidco, AurangabadandPrerana Hospital, Aurangabad, shall first attempt to resolve it by informal discussions between Parties, unless there are circumstances under which an extended resolution procedure may endanger the health and safety of psychiatric patients.

Relationship of the Parties

The Parties are and shall remain separate and independent entities. Neither Party shall BRREMEPALL to be the argument partner, co-venture, employee or representative of the other Party.

N-6,CIDCO,Chhatrapatt Sambhajinagar

Amendments

be modified or amended in writing with the express written consent of both Parties

S WHEREOF, the Parties here have executed this MOU as of the dates written below.

M.G.M. Mother Teresa College of Nursing, N- 6, Cidco, Aurangabad	A 1 /1
Signed:	Signed: Manik Shire
Date: 10/10/2018 College	Date: 10 october 2018.





(8/10/18 BEFORE ME

B.A. SUTAR ADVOCATE & NOTARY GOVT OF INDIA Regd. No 3246, Dist. A'bad

MGM'S MOTHER TERESA COLLEGE OF NURSING N-6,CIDCO,Chhatrapati Sambhajinagar

जाक/प्रामरु/रुवि/खाशुभेट/ १५८ /१८ अधिक्षक,प्रादेशिक मनोरुग्णालय,येरवडा,पुण दिनांक :- १३/०८/१८ २१ / • १ | २० । १

विषय :- प्रादेशिक मनोरुग्णालय पुणे येथिल अभ्यागत समितीतील सदस्य यांची खाजगी मानसिक शुश्रुषागृहास नवीन परवाना /नृतनीकरण/ स्थलांतरण भेट देणे वावत

भक्र.	भेटीचे ठिकाण	नाव	दिनांक	श्रेरा
٤)	ओरंगा <i>बा</i> द	डॉ आशिव मी हिडे	22.8.18	

उपरोक्त विषयानुसार मा.अतिरिक्त संचालक, आरोग्य सेवा, मुंबई यांच्या आदेशान्वये प्रादेशिक मनोरुग्णालय, येरवडा पुणे ६ येथील अभ्यागत समितीतील सदस्य यांनी खाजगी मानसिक शुश्रुषागृहाना भेटी देऊन तपासणी करणार आहेत. तरी उपरोक्त खाजगी मानसिक शुश्रुषागृह प्रमुखाने सदर भेटीचे वेळी मानसिक शुश्रुषागृहात उपस्थित रहावे व सहकार्य करावे

अधिक्षक, प्रादेशिक मनोरुग्णालय,येरवडा,पुणे.

पत :-

१) श्री. <del>बॉ.ज.जोशी. प्रामरु, पुणे</del> ज्ञी अभीत्रशासाती,

२)श्री. माने.बी.बी प्रामरु, पुणे.



PRINCIPAL

MGM'S MOTHER TERESA COLLEGE OF MURSING
N-6, CIDCO, Chibatrapatr Sambhajihagair KSING
N-6, CIDCO, Chibatrapatr Sambhajihagair RSING



Marathwalth Engineering Build and Near Hotel Yeshodeep, Opp. SES compound, Jalina Road, Aurangabad. 43:1003 India. Apparation et a call. 1.91.78878-88865. 70:305-89511114, mair: preusibospitallipusigmail nome.

Dt: 17 / 11 /2022

# TO WHOM SO EVER IT MAY CONCERN

This is to certify that, Prema Hospital, Aurangabad having Memorandum of Understanding with MGM Mother Teresa College of Nursing, Aurangabad Since Oct. 2018; for their B.Sc. Nursing, Post Basic B.Sc. Nursing (UG) and M.Sc. Nursing (PG) student's clinical experiences (Psychiatric Nursing)

Prerna Hospital, Aurangabad it pertains to the care of Psychiatric patients with Bed strength of 30.

Seal

PRINCIPAL
MGM'S MOTHER TERESA COLLEGE OF NURSING
N-6,CIDCO,Chhatrapati Sambhajinagar

Director / Partner Dr. Manik Bhise

Dr. Manik C. Brise M.B.B.S.,M.D. (Psychiate /) Reg. No.:2006/04/2206



# MAHARASHTRA STATE MENTAL HEALTH AUTHORITY (MSMHA)

## Form-F

## [See rule 66]

# CERTIFICATE OF PERMANENT REGISTRATION OF MENTAL HEALTH ESTABLISHMENT

The Maharashtra State Mental Health Authority, after considering the application under section 65 (2) or section 66 (3) or section 66(10) or section 66 (17) of the Mental Healthcare Act, 2017, hereby accords Permanent Registration to the applicant mental health establishment in terms of section 66 (4) or section 66 (11), or section (17) as per the details given hereunder:

Name: - Dr. Ashish Chandrakantrao Mohide, Dr. Sadeq Mazhar Qureshi, Dr. Manik Bhise

Address:- Prerna Hospital, Plot No. G-47, Town Center, N-6, CIDCO, Aurangabad, Maharashtra- 431003

No of beds:- 20

Permanent Registration Certificate No. 30 /2023

The Permanent registration certificate No. 30 /2023 issued, is subject to the conditions laid down in the Mental Healthcare Act, 2017 and the rules and regulations made there under.

Place: -Mumbai

Date: - 8/06/2023

Registration Authority

(MSMHA)

Seal of the Registration Authority

Dr. Swapnil Late

Chief Executive Officer

State Mental Health

Authority, Mumbal

MGM'S MOTHER TERESA COLLEGE OF NURSING N-6,CIDCO,Chhatrapati Sambhajinagar



## **Watergrace Products**

SURVE NO-122, GEVRAI TANDA, PATODA SHIVAR, PAITHAN ROAD, , , Dist. CHHATRAPATI SAMBHAJI NAGAR - 431003

Emergency Mobile No.: 7020622416,

e-mail:- helpdesk.watergrace@gmail.com

Unique Registration No.: 9820031122





## **Registration Certificate**



Date: 01-03-2024

Outward No.: WGPS /2023/1633

This is to certify that, Prena Hospital, at Plot No- G-47, Town Center, N-6, Cidco, Aurangabad, Maharashtra 431001 is registered with M/s. Watergrace Products, CHHATRAPATI SAMBHAJI NAGAR for Management of Bio Medical Waste in accordance with, the provision of Bio Medical Waste Management Rules, 2016, as amended and in compliance with the provisions of CPCB guidelines.

1 Authorized Person of HCE (Name and Designation)

Dr. Ashish Chandrakantrao Mohide, Dr. Sadeq Mazar Qureshi, Dr. Manik Bhise

Doctor

2 Bombay Nursing Home Act Registration Details

a. BNH Registration Number

N/A 01-03-2024

b. BNH Issue Date

20 Beds

c. Total Number of Beds d. BNH Validity (Form 'C')

01-03-2024

3 Common Treatment Facility Registration Details

a. Date of Registration

01-01-2017

b. No. of Beds Registered

20 Beds

c. Registration Validity

31-12-2024

4 Renewal of CTF Membership (if Applicable)

a. Renewal Date

01-01-2025

b. No. of Beds

20 Beds

5 MPCB Consent (Establish/ 1st Operate/ Renewal) Details

a. Consent / CCA Number

: Apply

b. Issue Date

01-03-2024

e. Validity up to

01-03-2024

MGM'S MOTHER TERESA COLLEGE OF NURSING

**Authorized Signature** 

: Mr.Vaibhav S.Bora

Designation : Manager

Note: HCE shall display copy of Registration Certificate at Front Desk and Temporary BMW Storage area.